



2022 PRICE LIST



TAST COMPANY LIMITED

Product Code	List Price
<p>P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House</p> <p>Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com</p>	
<p>YZK001 - BSP</p> <hr/> <p>YZK002 - NPT</p>	<p style="text-align: center;">Yuzuak JET30S</p> <p>Nozzles : 10mm -12mm -14mm -16mm -18mm Body Angle 28° Inlet Size 1,5" Female</p>  <p style="text-align: right;">880,000 TSH</p>
<p>YZK003 - BSP</p> <hr/> <p>YZK004 - NPT</p>	<p style="text-align: center;">Yuzuak JET35</p> <p>Standart Nozzles : 10mm-12mm-14mm-16mm-18mm Body Angle 24° Inlet Size 1,5" Female</p>  <p style="text-align: right;">984,000 TSH</p>
<p>YZK005 - BSP</p> <hr/> <p>YZK006 - NPT</p>	<p style="text-align: center;">Yuzuak JET40</p> <p>Standart Nozzles : 10mm- 12mm - 14mm - 16mm 18mm - 20mm - 22mm Body Angle 25° Inlet Size 2" Female</p>  <p style="text-align: right;">1,288,800 TSH</p>
<p>YZK007 - BSP</p> <hr/> <p>YZK008 - NPT</p>	<p style="text-align: center;">Yuzuak JET50</p> <p>Standart Nozzles : 14mm-16mm-18mm-20mm -22mm-24mm Body Angle 25° Inlet Size 2" Female</p>  <p style="text-align: right;">1,497,600 TSH</p>
<p>YZK009 - BSP</p> <hr/> <p>YZK010 - NPT</p>	<p style="text-align: center;">Yuzuak JET55</p> <p>Standart Nozzles : 20mm- 22mm- 24mm- 26mm- 28mm Body Angle 25° Inlet Size 2,5 " Female With Qucik Coupling</p>  <p style="text-align: right;">1,799,200 TSH</p>
<p>YZK011</p>	<p style="text-align: center;">Yuzuak JET65</p> <p>Standart Nozzles : 24mm- 26mm - 28mm - 30mm -32mm Body Angle 24° Inlet Size : 78mm x 130 mm Flange Connection</p>  <p style="text-align: right;">2,077,600 TSH</p>
<p>YZK012</p>	<p style="text-align: center;">Yuzuak JET70</p> <p>Adjustable Speed Control Nozzle Standart Nozzles : 28mm - 30mm - 32mm - 34mm Optionally Nozzles : 24mm - 36mm - 38mm - 40mm- 42mm Body Angle 23° Inlet Size : 78 X 145 Flange Connection</p>  <p style="text-align: right;">2,588,000 TSH</p>
<p>Nozzle JET70</p>	<p>JET70 Extra Nozzle - 36mm-38mm-40mm-42mm</p> <p style="text-align: center;">Each Nozzle 1pcs Price</p> <p style="text-align: right;">52,000 TSH</p>

TAST COMPANY LIMITED

Product Code	List Price
P.O. Box 6335, Morogoro-Tanzania. Cell: +255753662203 +255719206000 Morogoro Road, Mkambarani Mbuyuni, TAST House Email: info@tast.co.tz tastcompany3@gmail.com	
YZK015 - BSP <hr/> YZK016 - NPT	<p style="text-align: center;">Yuzuak JET35T</p> <p style="text-align: center;">For Clean and Dirty Water Raingun Dirty Water Nozzles :12mm -14mm- 16mm- 18mm Standart Nozzles :10mm-12mm-14mm-16mm-18mm Body Angle 25° Inlet Size 2 " Female</p>  <p style="text-align: right; color: green; font-weight: bold;">1,212,000 TSH</p>
YZK017 - BSP <hr/> YZK018 - NPT	<p style="text-align: center;">Yuzuak JET50T</p> <p style="text-align: center;">For Clean and Dirty Water Raingun Dirty Water Nozzles:14mm-16mm-18mm-20mm-22mm- 24mm Standart Nozzles : 14mm -16mm -18mm -20mm- 22mm Body Angle 25° Inlet Size 2 " Female</p>  <p style="text-align: right; color: green; font-weight: bold;">1,520,800 TSH</p>
YZK033	<p style="text-align: center;">Yuzuak JET65 T</p> <p style="text-align: center;">For Clean and Dirty Water Raingun Dirty Water Nozzles : 20mm- 22mm - 24mm - 26mm -28mm Standart Nozzles : 20mm- 22mm - 24mm -26mm - 28mm- 30mm Body Angle 24° Inlet Size : 78mm x 130 mm Flange Connection</p>  <p style="text-align: right; color: green; font-weight: bold;">2,124,000 TSH</p>
YZK019 - BSP <hr/> YZK020 - NPT	<p style="text-align: center;">Yuzuak TURFJET</p> <p style="text-align: center;">(Small Turbine Drive Raingun for Horse Arenas and Turf Irrigation or Synthetic Turf Cooling) Nozzles : 12mm- 14mm -16mm - 18mm - 20mm - 22mm Body Angle 25° Inlet Size 2 " Female</p>  <p style="text-align: right; color: green; font-weight: bold;">1,281,600 TSH</p>
YZK019S - BSP <hr/> YZK020S - NPT	<p style="text-align: center;">Yuzuak SUPER TURFJET</p> <p style="text-align: center;">(Small Turbine Drive Raingun for Horse Arenas and Turf Irrigation or Synthetic Turf Cooling) Nozzles : 18mm - 20mm - 22mm -24mm-26mm-28mm Body Angle 24° Inlet Size 2 " Female</p>  <p style="text-align: right; color: green; font-weight: bold;">XXXXX TSH</p>
YZK021 - BSP <hr/> YZK022 - NPT	<p style="text-align: center;">Yuzuak PIVOTJET</p> <p style="text-align: center;">(Center Pivot End Gun or Windy Fields Raingun) Nozzles : 12mm - 14mm - 16mm - 18mm Body Angle 18° Inlet Size 1,5 " Female</p>  <p style="text-align: right; color: green; font-weight: bold;">1,096,000 TSH</p>

Product Code		P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
DCR009-BSP	DuCaR70 DUSTJET - BSP Dust Control Raingun For Mining Nozzles : 14mm - 16mm - 18mm - 20mm Body Angle 43° Inlet Size 2 " Female BSP		942,000 TSH	
DCR009-NPT				
YZK023 - BSP	Yuzuak DUSTJET Dust Control Raingun For Mining Nozzles : 14mm - 16mm - 18mm - 20mm - 22mm - 24mm Body Angle 43° Inlet Size 2 " Female		1,420,800 TSH	
YZK024 - NPT				
YZK025	Yuzuak Super DUSTJET Dust Control Raingun For Mining Optionally Suitable For Seawater Nozzles : 22mm - 24mm - 26mm - 28mm - 30mm - 32mm Body Angle 43° Inlet Size : 78mm x 130 mm Flange Connection		2,077,600 TSH	
YZK026	Yuzuak Fire JET Short Barrel High Volume Raingun Suitable for Seawater Standart Nozzles : 30mm-32mm-34mm-36mm Inlet Size : Flange Connection (145mm x 78mm) Working Pressure : 4 kg/cm² - 11 kg/cm²		2,520,000 TSH	
YZK027 - BSP	Yuzuak RED ATOM28 Brass and Stainless Steel Spindle and Part Circle Standart Nozzles : 10mm - 12mm - 14mm Inlet Size : 1,5" Female		324,800 TSH	
YZK028 - NPT				
YZK029 - BSP	Yuzuak RED ATOM40 Brass and Stainless Steel Spindle and Part Circle Standart Nozzles : 14mm - 16mm - 18mm Inlet Size : 2 " Female		835,200 TSH	
YZK030 - NPT				
YZK031 - BSP	Yuzuak Dustjet 27° Standart Nozzles : 14mm-16mm-18mm -20mm -22mm -24mm Body Angle 27° Inlet Size 2" Female		1,520,800 TSH	
YZK032 - NPT				Yuzuak Dustjet 27° Standart Nozzles : 14mm-16mm-18mm -20mm -22mm -24mm Body Angle 27° Inlet Size 2" Female







TAST COMPANY LIMITED

Product Code	P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
YZK033	Yuzuak ATOM14 FC Full Circle 3/4" Impact Sprinkler Standart Nozzle : 5mm(Yellow) - 4mm(Black) Front & Back Water Breaker Body Angle 25° & 25° Inlet Size : 3/4" male 1 Box 60 PCS		27,784 TSH
YZK034	Yuzuak ATOM14 WFC Full Circle Wedge Drive 3/4" Impact Sprinkler Standart Nozzle : 4mm(RED) - 2,5mm(Turquoise) Body Angle 25° & 25° Inlet Size : 3/4" male 1 Box 60 PCS		26,840 TSH
YZK034WB	Yuzuak ATOM14 WWB Full Circle Wedge Drive 3/4" Impact Sprinkler Standart Nozzle : 4mm(RED) - 2,5mm(Turquoise) With Weights + Front Breaker Body Angle 25° & 25° Inlet Size : 3/4" male 1 Box 60 PCS		31,060 TSH
YZK033PC	Yuzuak ATOM14 PC Full Circle & Part Circle 3/4" Impact Sprinkler Standart Nozzle : 4,5mm (Black) Water Breaker Body Angle 25° Inlet Size : 3/4" male 1 Box 50 PCS		36,208 TSH
YZKA14 - 1Re	3/4" - 1" Plastic Reduction		5,500 TSH
YZK035	Yuzuak ATOM15 FC Full Circle 1" Impact Sprinkler Standart Nozzle : 6mm(orange) - 3,2mm(dark green) Body Angle 22° & 27° Inlet Size : 1" Female 1 Box40 PCS		41,060 TSH
YZK036	Yuzuak ATOM15 PC 1" Part or Full circle Impact Sprinkler Standart Nozzles : 5.5mm (White) Body Angle 23° Inlet Size : 1" Female 1 Box 30 PCS		48,080 TSH
YZK037	Yuzuak ATOM15 LF Full Circle 1" Impact Sprinkler Standart Nozzle : 4,5 mm (Black) x 2,5mm (Turquoise) Body Angle 22° & 27° Inlet Size : 1" Female 1 Box 40 PCS		41,060 TSH
YZK038	Yuzuak ATOM15 LF PC 1" Part or Full circle Impact Sprinkler Standart Nozzles : 4.5mm (Black) Body Angle 23° Inlet Size : 1" Female Female 1 Box 30 PCS		48,080 TSH
YZK039	Yuzuak ATOM15 LA Full Circle 1" Impact Sprinkler , Undertree Irrigation Or Pivot Sprinklers Standart Nozzle :5.5mm(White) - 2,5 mm(turquoise) Body Angle 7° & 10° Inlet Size : 1" Female 1 Box 40 PCS		45,740 TSH
YZK040	Yuzuak ATOM15 LA LF Full Circle 1" Impact Sprinkler , Undertree Irrigation Or Pivot Sprinklers Standart Nozzle :4.5mm(Black) - 2,5 mm(turquoise) Body Angle 7° & 10° Inlet Size : 1" Female 1 Box 40 PCS		45,740 TSH








TAST COMPANY LIMITED

Product Code	List Price
P.O. Box 6335, Morogoro-Tanzania. Cell: +255753662203 +255719206000 Morogoro Road, Mkambarani Mbuyuni, TAST House Email: info@tast.co.tz tastcompany3@gmail.com	
YZK054-BSP YZK055 - NPT	<p style="text-align: center;">Yuzuak ATOM22 ECO FC Plastic Spindle and Full Circle , Standart Nozzles : 6mm - 8mm - 10mm Inlet Size : 1" Female</p>  <p style="text-align: right;">167,040 TSH</p>
YZK056FC - BSP YZK057FC - NPT	<p style="text-align: center;">Yuzuak ATOM22 FC Full Brass Spindle and Full Circle Standart Nozzles : 6mm - 8mm - 10mm Inlet Size : 1" Female</p>  <p style="text-align: right;">278,400 TSH</p>
YZK056 - BSP YZK057 - NPT	<p style="text-align: center;">Yuzuak ATOM22 PC Full Brass Spindle and Full & Part Circle Standart Nozzles : 6mm - 8mm - 10mm Brass Water Breaker Inlet Size : 1" Female 1 Box - 1 pcs Sprinkler</p>  <p style="text-align: right;">345,440 TSH</p>
YZK058 - BSP YZK059 - NPT	<p style="text-align: center;">Yuzuak ATOM28 ECO Aluminium body and aluminium lower body Full & Part Circle Standart Nozzles : 10mm - 12mm - 14mm Inlet Size : 1,5" Aluminium Female 1 Box - 1 pcs Sprinkler</p>  <p style="text-align: right;">445,440 TSH</p>
YZK060FC -BSP YZK061FC -NPT	<p style="text-align: center;">Yuzuak ATOM28 X FC Aluminium body,Brass and Stainless Steel Spindle Full Circle Standart Nozzles : 10mm - 12mm - 14mm Inlet Size : 1,25" Female 1 Box - 1 pcs Sprinkler</p>  <p style="text-align: right;">417,600 TSH</p>
YZK060 - BSP YZK061 - NPT	<p style="text-align: center;">Yuzuak ATOM28 X Aluminium body,Brass and Stainless Steel Spindle Full & Part Circle Standart Nozzles : 10mm - 12mm - 14mm Inlet Size : 1,25" Female 1 Box - 1 pcs Sprinkler</p> <p style="text-align: center;">ATOM28 X 1 1/4"</p>  <p style="text-align: right;">417,600 TSH</p>
YZK072 - BSP YZK073 - NPT	<p style="text-align: center;">Yuzuak ATOM28 Aluminium body,Brass and Stainless Steel Spindle Full & Part Circle Standart Nozzles : 10mm - 12mm - 14mm Inlet Size : 1,5" Female 1 Box - 1 pcs Sprinkler</p>  <p style="text-align: right;">538,240 TSH</p>

Product Code	P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
YZK062FC - BSP	<p>Yuzuak ATOM30 X FC Brass Spindle Full Circle Standart Nozzles : 8mm - 10mm - 12mm Inlet Size : 1,25" Female 1 Box - 1 pcs Sprinkler</p>		<p>389,760 TSH</p>
YZK063FC - NPT			
YZK062PC - BSP	<p>Yuzuak ATOM30 FC Brass and Stainless Steel Spindle Full Circle Standart Nozzle : 8mm-10mm-12mm-14mm Inlet Size : 1,5" Female 1 Box - 1 pcs Sprinkler</p>		<p>570,560 TSH</p>
YZK063PC - NPT			
YZK066 - BSP	<p>Yuzuak ATOM30 PC Aluminium body,Brass and Stainless Steel Spindle Full & Part Circle Standart Nozzles : 8mm -10mm - 12mm - 14mm Inlet Size : 1,5" Female 1 Box - 1 pcs Sprinkler</p>		<p>680,560 TSH</p>
YZK067 - NPT			
YZK074 - BSP	<p>Yuzuak ATOM35 Aluminium body,Brass and Stainless Steel Spindle Standart Aluminium Nozzles : 12mm -14mm -16mm - 18mm Full & Part Circle Inlet Size : 1,5" Female Body Angle : 27° 1 Box - 1 pcs Sprinkler</p>		<p>798,080 TSH</p>
YZK075 - NPT			
YZK076S - BSP	<p>Yuzuak ATOM40S Aluminium body,Brass Spindle Suitable For as Endgun For Pivots and Windy Fields Standart Nozzles : 14mm - 16mm - 18mm - 20mm Full & Part Circle Inlet Size : 2" Female Body Angle : 24° 1 Box - 1 pcs Sprinkler</p>		<p>835,200 TSH</p>
YZK077S - NPT			
YZK078 - BSP	<p>Yuzuak ATOM42 FC Aluminium body,Brass Spindle High Performance Full Circle Impact Sprinkler Standart Nozzles : 14mm -16mm - 18mm - 20mm - 22mm Inlet Size : 2" Female 1 Box - 1 pcs Sprinkler</p>		<p>895,000 TSH</p>
YZK079 - NPT			

Product Code		P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
YZK090E	Mini ECO 1" PVC Connection Stand Water Line Pipe 1" PVC Pipe Height : 100 cm PVC Maximum Work Pressure : 4 kg/cm2 (56 psi) Weight : 4,30kg (Recommended 1" Sprinkler)		93,600 TSH	
YZK090 - BSP	Mini ECO 1" Connection Stand Water Line Pipe 1" Aluminium Pipe Height : 75 cm Maximum Work Pressure : 4 kg/cm2 (56 psi) Weight : 4 ,90 kg (Recommended For 1" Sprinkler)		199,600 TSH	
YZK091 - NPT				
YZK092 - BSP	PRO ECO 1,5" Connection Stand Adjustable Height Legs Main Water Pipe 1,5 " - 85 cm Maximum Work Pressure : 4 kg/cm2 (56 psi) Weight : 8 kg (Recommended For 1,5" Atom Series)		291,280 TSH	
YZK093 - NPT				
YZK092P4 - BSP	PRO ECO 4 Pod 1,5" Connection Stand Adjustable Height Legs Main Water Pipe 1,5 " - 85 cm Maximum Work Pressure : 4 kg/cm2 (56 psi) Weight : 10 kg (Recommended Atom35 and JET35 Series)		330,280 TSH	
YZK093P4 - NPT				
YZK092P4 - BSP	PRO ECO 4 Pod 2" QC Connection Stand Adjustable Height Legs Main Water Pipe 2" - 85 cm Maximum Work Pressure : 4 kg/cm2 (56 psi) Weight : 11 kg (Recommended Atom40 and Atom42 Series)		348,280 TSH	
YZK093P4 - NPT				
YZK094 - BSP	3 Pod 2" Connection Stand With Quick Coupling Adjustable Height Legs Water Input : 2" Water Output : 1,5 " Male Quick Coupling Pipe Height : 85 cm Maximum Work Pressure : 4 kg/cm2 (56 psi) Weight : 12 kg Suitable for 1,5" Inlet Rainguns and Sprinklers		367,600 TSH	
YZK095 - NPT				
Motopump	Male Ø75 QC For Connection Stands Ø75 For Sprinkler System 2" Female Screw Suitable for Connection Stand for use with HDPE pipes with quick coupling		52,120 TSH	

Our connection stands are painted with powder paint as a standard.
Optional powder paint on electro galvanized coating or powder paint varnish on electro galvanized coating are available.

Product Code		P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
YZK096 - BSP	<p>4 Pod 2" Connection Stand With Quick Coupling Adjustable Legs Water Input : 2" Water Output : 2" Male Quick Coupling Pipe Height : 100 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 13 kg</p>		<p>469,680 TSH</p>	
YZK097- NPT				
YZK096A - BSP	<p>4 Pod 2" Connection Stand With Quick Coupling Adjustable Legs Water Input : 2" Water Output : 1,5" Male Quick Coupling Pipe Height : 100 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 13 kg</p>		<p>469,680 TSH</p>	
YZK097A- NPT				
YZK098 - BSP	<p>4 Pod 2" Connection Stand Adjustable Legs Water Pipe Line : 2 " Pipe Height : 100 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 12 kg</p>		<p>432,560 TSH</p>	
YZK099 - NPT				
YZK100 - BSP	<p>4 Pod 2,5 " Connection Stand Adjustable Legs Water Pipe Line : 2,5 " Pipe Height : 75 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 14 kg</p>		<p>453,200 TSH</p>	
YZK102 - BSP	<p>4 Pod 3 " Connection Stand Adjustable Legs Water Pipe Line : 3 " Pipe Height : 75 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 18 kg</p>		<p>522,800 TSH</p>	
YZK103-BSP	<p>High PRO ECO 1,5" Connection Stand Water Line Pipe 1,5 " Pipe Height : 85 cm + 85 cm = 170cm (With Mansoon) Maximum Work Pressure : 3 kg/cm2 (56 psi) Weight : 9 kg (Recommended For 1,5" Inlet Atom Sprinklers)</p>		<p>367,600 TSH</p>	
YZK104-NPT				
YZK105-BSP	<p>High 4 Pod 2" Connection Stand With Quick Coupling Adjustable Legs Water Input : 2" Water Output : 2 " Pipe Height : 100 cm + 100cm = 200 cm (With Mansoon) Maximum Work Pressure : 4 kg/cm2 (70 psi) Weight : 19 kg</p>		<p>578,000 TSH</p>	
YZK106-NPT				










Our connection stands are painted with powder paint as a standard.
Optional powder paint on electro galvanized coating or powder paint varnish on electro galvanized coating are available.

TAST COMPANY LIMITED

Product Code	List Price	
P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com		
YZK110	<p>Slide Base Sprinkler Chart 3/4" Water Pipe Line : Male 3/4 " (BSP - NPT Compatible) Height : 12 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 4 kg Come With Atom15 PC LF Sprinkler</p> 	148,080 TSH
YZK111	<p>Slide Base Sprinkler Chart 1" Water Pipe Line : Male 1 " (BSP - NPT Compatible) Height : 12 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 4,5 kg Come With Atom22 Sprinkler</p> 	297,200 TSH
YZK112	<p>Wheeled Raingun Cart 3/4" Water Pipe Line : 3/4" - (BSP - NPT Compatible) Pipe Height : 60 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 3,5 kg Recommended for 3/4 " Sprinklers</p> 	255,200 TSH
YZK113	<p>Wheeled Raingun Cart 1" Water Pipe Line : 1" - (BSP - NPT Compatible) Pipe Height : 60 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 5 kg Recommended for 1 " Sprinklers</p> 	354,200 TSH
YZK114 - BSP	<p>Wheeled Raingun Cart 1,5" Water Pipe Line : 1,5" Pipe Height : 40 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 13 kg Recommended for 1,5" Sprinklers</p> 	541,400 TSH
YZK115 - NPT		
YZK116 - BSP	<p>Wheeled Raingun Cart With 2" Water Pipe Line : 2" Pipe Height : 40 cm Maximum Work Pressure : 5 kg/cm2 (70 psi) Weight : 20 kg Recommended for 1,5" & 2" Rainguns Adjustable Tyre Width</p> 	1,079,600 TSH
YZK117 - NPT		
YZK118 - BSP	<p>2" Raingun Chart With Hose Reel Adjustable Tyre Width Reel Outside Diameter 70 cm Box Dimensions : 120cm X 80 cm X 40 cm Weight : 30 kg</p> 	2,416,600 TSH
YZK119 - NPT		
YZK120 - BSP	<p>2" Raingun Chart With Hose & Hose Reel + Raingun it's have 25meter 2" PVC Layflat Hose with Hose coupling and with Atom40 Raingun . List price include 2" 25meter pvc layflat hose + 2" male & Female hose Coupling and Female inlet Coupling Adjustable Tyre Width Reel Outside Diameter 70 cm Box Dimensions : 120cm X 80 cm X 40 cm Weight : 70 kg</p> 	152,960 TSH
YZK121 - NPT		
YZK122 - BSP	<p>2" Riser Pipe With 2" Female QC Pipe Length : 100 cm and Male screw 2"</p> 	108,500 TSH
YZK123 - NPT		
YZK124B - BSP	<p>1" Quick Coupling with Elbow and with 1,25" Hose Barbed Male Connector Suitable for 1" Mini Eco Connection Stant Barbed Size for 1,25" Hose (32mm inside Diameter Hose)</p> 	108,500 TSH
YZK124S - BSP	<p>1" Quick Coupling with Elbow and with 1" Male screw Connector Suitable for 1" Mini Eco Connection Stant</p>  <p style="text-align: center;">1" Screw Connection</p>	148,280 TSH
YZK125 - BSP	<p>1,5" Quick Coupling with Female Screw Elbow with 2" Hose Barbed Male Connector Suitable for 1,5" Pro Eco Connection Stants Barbed Size for 2" Layflat Hose</p> 	148,280 TSH
YZK126 - BSP		<p>2" Quick Coupling with 2" Female Screw Elbow with 2" Hose Barbed Male Connector Suitable for 2" Connector Stants Barbed Size for 2" Layflat Hose</p>

Our connection stands are painted with powder paint as a standard.
 Optional powder paint on electro galvanized coating or powder paint varnish on electro galvanized coating are available.

TAST COMPANY LIMITED

Product Code		P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
CSET001	1" Raingun Cart + Atom22 Sprinkler 1" Female Coupling With Male Screw X 2 pcs 1" Male Coupling with 1" Hose Barbed X 2 pcs			686,100 TSH
CSET002	1" Raingun Cart + Atom22 Sprinkler 1" Female Coupling With Male Screw X 2 pcs 1" Male Coupling with 1" Hose Barbed X 2 pcs 25 Meter 1" Thermo Hose + 2 Coupling			908,400 TSH
CSET003-BSP	1,5" Raingun Cart + Atom28 Sprinkler 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps			1,710,400 TSH
CSET003-NPT				
CSET004-BSP	1,5" Raingun Cart + Atom35 Sprinkler 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps			1,804,000 TSH
CSET004-NPT				
CSET005-BSP	2" Raingun Cart + Atom40 Sprinkler 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps			2,201,800 TSH
CSET005-NPT				
CSET006-BSP	2" Raingun Cart + Turfjet Sprinkler 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps			2,974,000 TSH
CSET006-NPT				
CSET007-BSP	2" Raingun Cart + JET35T Sprinkler 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps			2,974,000 TSH
CSET007-NPT				
CSET008-BSP	2" Raingun Cart + JET50T Sprinkler 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps			3,208,000 TSH
CSET008-NPT				
CSET009-BSP	2" Raingun Cart + JET50 Sprinkler 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps			3,208,000 TSH
CSET009-NPT				

Our connection stands are painted with powder paint as a standard.
Optional powder paint on electro galvanized coating or powder paint varnish on electro galvanized coating are available.

TAST COMPANY LIMITED










P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyuni, TAST House

Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com

List Price

Product Code			List Price
YZK130B	Quick Coupling System For 1" Hose Barbed Connection Ø32 Female B Part Inlet 1" Hose Connection	 <p style="text-align: center;">1" Hose Barbed</p>	60,760 TSH
YZK130A	Quick Coupling System For 1" Hose Barbed Connection Ø32 Male A Part inlet 1" Hose Connection		60,760 TSH
YZK130S	Quick Coupling System For 1" Hose Connection Set Price (B Part + A Part) Ø32 Female B Part Inlet 1" Hose Connection Ø32 Male A Part inlet 1" Hose Connection		60,760 TSH
YZK132B	Quick Coupling System For 1,25" Hose Barbed Connection Ø32 Female B Part Inlet 1,25" Hose Connection	 <p style="text-align: center;">1,25" Hose Barbed</p>	41,760 TSH
YZK132A	Quick Coupling System For 1,25" Hose Barbed Connection Ø32 Male A Part inlet 1,25" Hose Connection		41,760 TSH
YZK132S	Quick Coupling System For 1" Hose Connection Set Price (B Part + A Part) Ø32 Female B Part Inlet 1,25" Hose Connection Ø32 Male A Part inlet 1,25" Hose Connection		83,520 TSH
YZK133B	Quick Coupling System For 1" BSP Connection Ø32 Female B Part Inlet 1" BSP Connection	 <p style="text-align: center;">1" Screw Connection</p>	55,680 TSH
YZK133A	Quick Coupling System For 1" BSP Connection Ø32 Male A Part inlet 1" BSP Connection		55,680 TSH
YZK133S	Quick Coupling System For 1" BSP Connection Set Price (B Part + A Part) Ø32 Female B Part Inlet 1" BSP Connection Ø32 Male A Part inlet 1" BSP Connection		55,680 TSH
YZK135B	Quick Coupling System For 1" NPT Connection Ø32 Female B Part Inlet 1" NPT Connection		55,680 TSH
YZK135A	Quick Coupling System For 1" NPT Connection Ø32 Male A Part inlet 1" NPT Connection		55,680 TSH
YZK135S	Quick Coupling System For 1" NPT Connection Set (B Part + A Part) Ø32 Female B Part Inlet 1" NPT Connection Ø32 Male A Part inlet 1" NPT Connection		55,680 TSH
YZK136B	Quick Coupling System For 1" BSP Screw Connection With Stop Valve Inlet 1" BSP Male Screw X Output Ø32 Female - B Part Suitable For : Atom15 - Atom22	 <p style="text-align: center;">1" Screw Connection</p>	65,480 TSH
YZK136A	Quick Coupling System For 1" BSP Screw Connection Inlet 1" BSP Male Screw X Output Ø32 male - A Part Suitable For : Atom15 - Atom22		55,680 TSH
YZK136S	Quick Coupling System For 1" BSP Screw Connection with Stop Valve Set Include B Part + A Part Inlet 1" BSP Male Screw X Output 1" BSP Male Screw Suitable For : Atom15 - Atom22		120,480 TSH
YZK138B	Quick Coupling System For 1" NPT Screw Connection With Stop Valve Inlet 1" NPT Male Screw X Output Ø32 Female - B Part Suitable For : Atom15 - Atom22		65,480 TSH
YZK138A	Quick Coupling System For 1" NPT Screw Connection Inlet 1" NPT Male Screw X Output Ø32 male - A Part Suitable For : Atom15 - Atom22		55,680 TSH
YZK138S	Quick Coupling System For 1" NPT Screw Connection with Stop Valve Set Include B Part + A Part Inlet 1" NPT Male Screw X Output 1" NPT Male Screw Suitable For : Atom15 - Atom22		120,480 TSH
YZK136B	Quick Coupling System For 1" BSP Screw Connection With Stop Valve Inlet 1" BSP Male Screw X Output Ø32 Female - B Part	 <p style="text-align: center;">Male 1" A Part with Elbow Female 1" B Part With Stopvalve</p>	65,480 TSH
YZK136E	Quick Coupling System For 1" BSP Screw Connection Inlet 1" BSP Male Screw X Output Ø32 male - A Part with Elbow		68,480 TSH
YZK136ES	Quick Coupling System For 1" BSP Screw Connection with Stop Valve Set Include B Part + A Part + Elbow Inlet 1" BSP Male Screw X Output 1" BSP Male Screw Suitable For : Park Garden		132,480 TSH

TAST COMPANY LIMITED

Product Code	P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
YZK138-BSP	Quick Coupling System For Sprinkler Inlet female 1,5" X Output male 1,25" For BSP Connections Ø50 Inlet Size : Female 1,5" (3 Clamps) Output Size : Male 1,25" Suitable For : Atom28X or Atom30X FC 1.25"		87,220 TSH
YZK138-NPT	Quick Coupling System For Sprinkler Inlet female 1,5" X Output male 1,25" For NPT Connections Ø50 Inlet Size : Female 1,5" (3 Clamps) Output Size : Male 1,25" Suitable For : Atom28X or Atom30X FC 1.25"		
YZK139-BSP	Quick Coupling System For Sprinkler Inlet female 1,5" X Output male 1,5" For BSP Connections Ø50 Inlet Size : Female 1,5" (3 Clamps) Output Size : Male 1,5" Suitable For : Atom28 - B30- Atom35 - JET30 - JET35		87,220 TSH
YZK139-NPT	Quick Coupling System For Sprinkler Inlet female 1,5" X Output male 1,5" For NPT Connections Ø50 Inlet Size : Female 1,5" (3 Clamps) Output Size : Male 1,5" Suitable For : Atom28 - B30- Atom35 - JET30 - JET35		
YZK140	Quick Coupling System For Sprinkler Inlet female 2" X Output male 1,5" For BSP Connections Includes Pressure Gauge Hole With Blind Plug Output Size : 2" - 1,5" (3 Clamps) Suitable For : Atom28 - B30- Atom35 - JET30 - JET35		108,280 TSH
YZK141	Quick Coupling System For Sprinkler Inlet female 2" X Output male 1,5" For NPT Connections Includes Pressure Gauge Hole With Blind Plug Output Size : 2" - 1,5" (3 Clamps) Suitable For : Atom28 - B30- Atom35 - JET30 - JET35		
YZK142	Quick Coupling System For Sprinkler Inlet female 2" X Output male 2" For BSP Connections Includes Pressure Gauge Hole With Blind Plug Output Size : 2" - 2" (3 Clamps) Suitable For : Atom40 - Atom42- JET40-JET50-JET35T-JET50T-Turfjet- Dustjet		108,280 TSH
YZK143	Quick Coupling System For Sprinkler Inlet female 2" X Output male 2" For NPT Connections Includes Pressure Gauge Hole With Blind Plug Output Size : 2" - 2" (3 Clamps) Suitable For : Atom40-Atom42-JET40-JET50- JET35T-JET50T-Turfjet - Dustjet		
YZK144	Quick Coupling System For Sprinkler Inlet female 2,5" X Output male 2" For BSP Connections Includes Pressure Gauge Hole With Blind Plug Output Size : 2" Suitable For : Atom40 - Atom42- JET40 - JET50 - JET35T - JET50T- Turfjet - Du- -Pivotjet		115,300 TSH
YZK145	Quick Coupling System For Sprinkler Inlet female 2,5" X Output male 2" For NPT Connections Includes Pressure Gauge Hole With Blind Plug Output Size : 2" Suitable For : Atom40 - Atom42- JET40 - JET50 - JET35T - JET50T - Turfjet - Dustjet		
YZK146	Quick Coupling System For Sprinkler Inlet female 2,5" X Output male 2,5" For BSP Connections Includes Pressure Gauge Hole With Blind Plug Output Size : 2,5" - 2,5" (4 Clamps) Suitable For JET65		178,480 TSH
YZK147	Quick Coupling System For Sprinkler Inlet female 2,5" X Output male 2,5" For NPT Connections Aluminum Quick Coupling Max Pressure : 10 kg/cm2 (140 psi) Includes Pressure Gauge Hole With Blind Plug Output Size : 2,5" - 2,5" (4 Clamps) Suitable For : JET65		
YZK148	Quick Coupling System For Sprinkler Inlet female 3" X Output male 3" For BSP Connections Aluminum Quick Coupling Max Pressure : 10 kg/cm2 (140 psi) Includes Pressure Gauge Hole With Blind Plug Output Size : 3" - 3" (4 Clamps) Suitable For : JET70		192,520 TSH
YZK149	Quick Coupling System For Sprinkler Inlet female 3" X Output male 3" For NPT Connections Aluminum Quick Coupling Max Pressure : 10 kg/cm2 (140 psi) Includes Pressure Gauge Hole With Blind Plug Output Size : 3" - 3" (4 Clamps) Suitable For : JET70		
YZK062 BSP	Yuzuak Air Release Valve 1" Male For working Up To 10 bar Pressure		55,680 TSH
YZK063 - NPT			
YZK064 - BSP	Yuzuak Air Release Valve 2" Female For working Up To 10 bar Pressure		116,00 TSH
YZK065 - NPT			

TAST COMPANY LIMITED

Product Code	List Price		
P.O. Box 6335, Morogoro-Tanzania. Cell: +255753662203 +255719206000 Morogoro Road, Mkambarani Mbuyuni, TAST House Email: info@tast.co.tz tastcompany3@gmail.com			
YZK170 - BSP YZK171 - NPT YZK172 - BSP YZK173 - NPT	Female QC - Ø50 For Sprinkler System 1,25" Male Screw Female QC - Ø50 For Sprinkler System 1,5" Male Screw		44,960 TSH 44,960 TSH
YZK174 - BSP YZK175 - NPT	Male QC - Ø50 For Sprinkler System 1,5" Female Screw		54,460 TSH
YZK150 - BSP YZK151 - NPT YZK152 - BSP YZK153 - NPT	Female QC - Ø60 For Sprinkler System 1,5" Male Screw Female QC - Ø60 For Sprinkler System 2" Male Screw		57,440 TSH 57,440 TSH
YZK154 - BSP YZK155 - NPT YZK156 -BSP YZK157 - NPT	Male QC - Ø60 For Sprinkler System 2" Female Screw Male QC - Ø60 For Sprinkler System 2,5" Female Screw		70,840 TSH 77,860 TSH
YZK158 - BSP YZK159 - NPT	Female QC - Ø75 For Sprinkler System 2,5" male Screw		61,480 TSH
YZK160 - BSP YZK161 - NPT	Male QC - Ø75 For Sprinkler System 2,5 " Female Screw		127,000 TSH
YZK162 - BSP YZK163 - NPT	Female QC Ø90 For Sprinkler System 3" male Screw		63,820 TSH
YZK164 - BSP YZK165 - NPT	Male QC - Ø90 For Sprinkler System 3 " Female Screw		138,700 TSH
YZK166 - BSP YZK167 - NPT	78 X 130 Flange to 2,5" Female Connection (JET65 - JET65T - Super Dustjet)		61,480 TSH
YZK168 - BSP YZK169 - NPT	78 X 145 Flange to 3" Female Connection it's Suitable for 3" Quick Coupling Connector		87,220 TSH

TAST COMPANY LIMITED

P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyuni, TAST House







Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com




Model Name	Product Photo	Technical Details	List Price
Irriforce Minix TD1000-100		<p>Effective irrigation Length : 100 Meter Hose Length and Type : 50 meter - Fire Hose Hose Inside Diameter : 25mm - 1" Effective Spray Width : 24 Meter - 30 Meter Cable Length, diameter : 100 Meter - 3 mm Raingun Type : Atom22 (6mm Nozzle) + Atom15 FC (6mm Nozzle) Flow Rate : 2,5 m3/h - 5 m3/h Recommended Working pressure : 3 bar-7 bar Travel Speed : 19meter/hour - 30meter/hour Travel Speed Can be Adjustable by Nozzle&Pressure - Without Hosereel - come with Just Hose and Hose Connectors 20' Container Loading Capacity : 54 Weight (kg) : 50 kg With Hose - Box Dimension : 92cm x 60cm x 55cm</p>	6,616,000 TSH
Irriforce Minix TD1250-120		<p>Effective irrigation Length : 120 Meter Hose Length and Type : 60 meter - Drag Hose Hose Inside Diameter : 32mm - 1 1/4" Effective Spray Width : 28 Meter - 35 Meter Cable Length, diameter : 120 Meter - 3 mm Raingun Type : Atom22 Flow Rate : 3,5 m3/h - 7 m3/h Recommended Working pressure : 3 bar-7 bar Travel Speed : 19meter/hour - 100meter/hour Travel Speed Can be Adjustable by Nozzle&Pressure Manuel Hose Reel System 20' Container Loading Capacity : 54 Weight (kg) : 60 kg + 43 kg (Hose&hosereel) Box Dimension : 92cm x 60cm x 55cm</p>	7,552,000 TSH
Irriforce Mini TD1500-100		<p>Effective irrigation Length : 100 Meter Hose Length And Inside Diameter : 50 meter - 42mm Effective Spray Width : 32 Meter - 46 Meter Cable Length, diameter : 100 Meter - 3 mm Raingun Type : Atom28 Flow Rate : 7m3/h - 19 m3/h Recommended Working pressure : 3.5 bar-8 bar Travel Speed : 7meter/hour - 70meter/hour Travel Speed Can be Adjustable by Manuel Valve Manuel Hose Reel System 20' Container Loading Capacity : 16 Weight (kg) : 150 kg (With Hose and Hosreel) Box Dimension : 155cm x 85cm x 105cm</p>	11,530,000 TSH
Irriforce Mini TD1750-130		<p>Effective irrigation Length : 130 Meter Hose Length And Inside Diameter : 66 meter - 45mm Effective Spray Width : 32 Meter - 50 Meter Cable Length, diameter : 130 Meter - 3 mm Raingun Type : Atom35 Flow Rate : 10m3/h - 20 m3/h Recommended Working pressure : 3.5 bar-8 bar Travel Speed : 7meter/hour - 60meter/hour Travel Speed Can be Adjustable by Manuel Valve Manuel Hose Reel System 20' Container Loading Capacity : 16 Weight (kg) : 160 kg (With Hose and Hosreel) Box Dimension : 155cm x 85cm x 105cm</p>	12,466,000 TSH
Irriforce Mini TD1750-150		<p>Effective irrigation Length : 150 Meter Hose Length And Inside Diameter : 75 meter - 45mm Effective Spray Width : 32 Meter - 50 Meter Cable Length, diameter : 150 Meter - 3 mm Raingun Type : Atom35 Flow Rate : 10m3/h - 20 m3/h Recommended Working pressure : 3.5 bar-8 bar Travel Speed : 7meter/hour - 70meter/hour Travel Speed Can be Adjustable by Manuel Valve Manuel Hose Reel System 20' Container Loading Capacity : 16 Weight (kg) : 180 kg (With Hose and Hosreel) Box Dimension : 155cm x 85cm x 105cm</p>	13,636,000 TSH
Irriforce Midi Sport TD2500-150		<p>Effective irrigation Length : 150 Meter Hose Length And Inside Diameter : 75 meter - 65mm Effective Spray Width : 50 Meter - 75 Meter Cable Length, diameter : 150 Meter - 4 mm Raingun Type : JET50 Flow Rate : 18 m3/h - 45 m3/h Recommended Working pressure : 3,5 bar- 8 bar Travel Speed : 8meter/hour - 90 meter/hour Travel Speed Can be Adjustable by Mauel Valve Manuel Hose Reel System 20' Container Loading Capacity : 7 Box Dimension 1 : 154cm x 85 cm x 105cm (210 kg) Box Dimension 2 : 128cm X 95cm X 95cm (140kg)</p>	18,784,000 TSH

TAST COMPANY LIMITED

P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyuni, TAST House

Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com

Model Name	Product Photo	Technical Details	List Price
Irriforce Midi TD2000-200		<p>Effective irrigation Length : 200 Meter Hose Length And Inside Diameter : 100 meter - 51mm Effective Spray Width : 40 Meter - 65 Meter Cable Length, diameter : 200 Meter - 4 mm Raingun Type : JET40 Flow Rate : 12m3/h - 30 m3/h Recommended Working pressure : 3 bar-7.5 bar Travel Speed : 7meter/hour - 60 meter/hour Travel Speed Can be Adjustable by Mauel Valve Manuel Hose Reel System 20' Container Loading Capacity : 7 Box Dimension 1 : 154cm x 85 cm x 105cm (210 kg) Box Dimension 2 : 128cm X 95cm X 95cm (140kg)</p>	17,678,000 TSH
Irriforce Midi TD2500-200		<p>Effective irrigation Length : 200 Meter Hose Length And Inside Diameter : 100 meter - 65mm Effective Spray Width : 50 Meter - 75 Meter Cable Length, diameter : 200 Meter - 4 mm Raingun Type : JET50 Flow Rate : 18m3/h - 45 m3/h Recommended Working pressure : 4 bar- 8 bar Travel Speed : 9meter/hour - 50 meter/hour Travel Speed Can be Adjustable by Mauel Valve Manuel Hose Reel System 20' Container Loading Capacity : 7 Box Dimension 1 : 154cm x 85 cm x 105cm (210 kg) Box Dimension 2 : 128cm X 95cm X 95cm (140kg)</p>	19,316,000 TSH
Irriforce MICO TD2000- 200		<p>Effective irrigation Length : 200 Meter Hose Length And Inside Diameter : 100meter-51mm Effective Spray Width : 40 Meter - 65 Meter Cable Length, diameter : 200 Meter - 4 mm Raingun Type : JET50 Flow Rate : 12m3/h - 30 m3/h Recommended Working pressure : 3 bar-7.5 bar Tractor Operated Hose rewind System Travel Speed : 7meter/hour - 60 meter/hour 20' Container Loading Capacity : 5 Weight (kg) : 450 kg Box Dimension : 220cm X 115 cm X 165 cm</p>	22,358,000 TSH
Irriforce MICO TD2000- 300 Twin		<p>Effective irrigation Length : 300 Meter Hose Length And Inside Diameter : 100+50 meter - 51mm Effective Spray Width : 40 Meter - 65 Meter Cable Length, diameter : 300 Meter - 4 mm Raingun Type : JET50 Flow Rate : 12m3/h - 30 m3/h Recommended Working pressure : 3 bar-7.5 bar Travel Speed : 7meter/hour - 50 meter/hour Tractor Operated Hose rewind System 20' Container Loading Capacity : 5 Weight (kg) : 500 kg Box Dimension : 220cm X 115 cm X 165 cm</p>	23,996,000 TSH
Irriforce MICO TD2500- 200		<p>Effective irrigation Length : 200 Meter Hose Length And Inside Diameter : 100 meter - 65mm Effective Spray Width : 50 Meter - 75 Meter Cable Length, diameter : 200 Meter - 4 mm Raingun Type : JET50 Flow Rate : 18m3/h - 45 m3/h Recommended Working pressure : 4 bar- 8 bar Travel Speed : 9meter/hour - 50 meter/hour Tractor Operated Hose rewind System 20' Container Loading Capacity : 5 Weight (kg) : 500 kg Box Dimension : 220cm X 115 cm X 165 cm</p>	26,740,000 TSH
Irriforce MICO X TD2500-300		<p>Effective irrigation Length :300 Meter Hose Length And Inside Diameter :150meter - 65mm Effective Spray Width : 51 Meter -75 Meter Cable Length, diameter : 300 Meter - 5 mm Raingun Type : JET55 Flow Rate : 18m3/h - 45 m3/h Recommended Working pressure : 4 bar-8 bar Travel Speed : 10meter/hour-60meter/hour 20' Container Loading Capacity : 4 Weight (kg) : 560 kg Box Dimension : 265 cm X 115 cm X 185 cm</p>	27,740,000 TSH

Model Name	Product Photo	Technical Details	List Price
Irriforce ECO TD2500-400		<p>Effective irrigation Lenght : 400 Meter Hose Lenght And Inside Diameter : 200meter - 65mm Effective Spray Width : 40 Meter - 60 Meter Cable Lenght, diameter : 400 Meter - 6 mm Raingun Type : JET55 Flow Rate : 18m3/h - 45 m3/h Recommended Working pressure : 4 bar-8 bar Travel Speed : 10meter/hour - 70meter/hour PTO Air Compressor Standart For Hose Clean 20' Container Loading Capacity : 4 Weight (kg) : 790 kg Box Dimension : 265 cm X 115 cm X 185 cm</p>	<p>39,446,000 TSH</p>
Irriforce ECO TD3000-300		<p>Effective irrigation Lenght : 300 Meter Hose Lenght And Inside Diameter : 150meter - 76mm Effective Spray Width : 60 Meter - 90 Meter Cable Lenght, diameter : 300 Meter - 6 mm Raingun Type : JET55 Flow Rate : 28m3/h - 66 m3/h Recommended Working pressure : 4 bar-8 bar Travel Speed : 12meter/hour - 70meter/hour PTO Air Compressor Standart For Hose Clean 20' Container Loading Capacity : 4 Weight (kg) : 800 kg Box Dimension : 265 cm X 115 cm X 185 cm</p>	<p>39,446,000 TSH</p>
Irriforce ECO TD3000-400		<p>Effective irrigation Lenght : 400 Meter Hose Lenght And Inside Diameter : 200meter - 76mm Effective Spray Width : 60 Meter - 90 Meter Cable Lenght, diameter : 400 Meter - 6 mm Raingun Type : JET55 Flow Rate : 28m3/h - 66 m3/h Recommended Working pressure : 4 bar-8 bar Travel Speed : 12meter/hour - 70meter/hour PTO Air Compressor Standart For Hose Clean 20' Container Loading Capacity : 4 Weight (kg) : 850 kg Box Dimension : 265 cm X 115 cm X 185 cm</p>	<p>42,956,000 TSH</p>



Product Photo



Irriforce Ultra TD3500-400

Effective irrigation Length : 400 Meter

Hose Length And Inside Diameter : 200meter 90mm Nitril

Effective Spray Width : 60 Meter - 100 Meter

Cable Length, diameter : 400 Meter - 8 mm

Raingun Type : JET65

Flow Rate : 28m³/h - 100 m³/h

Recommended Working pressure : 4 bar-8 bar

Travel Speed : 15meter/hour - 90meter/hour

3 Speed Gearbox + Air compressor

20' Container Loading Capacity : 1 - 40' Container Loading Capacity : 3

Weight (kg) : 1300 kg - Box Dimension : 310 cm X 140 cm X 185 cm

LIST PRICE: 60,330,000 TSH

Irriforce Ultra TD3500-500

Effective irrigation Length : 500 Meter

Hose Length And Inside Diameter : 250meter - 90mm TPU

Effective Spray Width : 60 Meter - 100 Meter

Cable Length, diameter : 500 Meter - 8 mm

Raingun Type : JET65

Flow Rate : 28m³/h - 100 m³/h

Recommended Working pressure : 4 bar-8 bar

Travel Speed : 15meter/hour - 90meter/hour

3 Speed Gearbox + Air Compressor

20' Container Loading Capacity : 1 - 40' Container Loading Capacity : 3






Weight (kg) : 1450 kg - Box Dimension : 310 cm X 140 cm X 185 cm

LIST PRICE: 68,520,000 TSH

TAST COMPANY LIMITED

P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyuni, TAST House

Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com















Model Name	Product Photo	Technical Details	List Price
HR001		<p>It's have Capacity for Maximum 60meter Hose lenght for 1" and 1,25" , 1,5" hose List price doesn't include hose Reel Outsie Diameter 45cm</p>	<p>1,559,200 TSH</p>
HR002		<p>It's have Capacity for Maximum 70meter Hose lenght for 1,25" , 1,5" ,1,75" hose List price doesn't include hose Reel Outsie Diameter 80cm</p>	<p>1,559,200 TSH</p>
HR003		<p>It's have Capacity for Maximum 150meter Hose lenght for 2" and 2.5" hose List price doesn't include hose Reel Outsie Diameter 80cm</p>	<p>1,904,000 TSH</p>
HR004		<p>It's have Capacity for Each Reel 2" - 2,5" - 3" 50 meter Hose X 4 Roll , Total Reel Can be Collect 200meter Hose lenght for up to 3" hose List price doesn't include hose Reel Outsie Diameter 80cm Dimensions : 125cm X 95 cm X 95 cm Weight : 80 kg</p>	<p>2,840,000 TSH</p>
HR005		<p>It's have Capacity for Maximum 200meter Hose lenghts for 2,5" and 3" hose These model operated by PTO Gearbox List price doesn't include hose Reel Outsie Diameter 160cm Dimensions : 210cm X 115 cm X 185 cm Weight : 225 kg</p>	<p>8,722,000 TSH</p>

Yuzuak Irrigation Systems

Low Cost , Easy to Install

Make your own Irrigation System Byself









Product Code	P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	Product Photo	List Price
Make Your Own Irrigation KIT with Local PVC Pipes				
PVC1	Coupling For 2" - 60mm PVC Pipe - Ø63 Male (Black)			20,500 TSH
PVC2	Coupling For 2" - 60mm PVC Pipe - Ø63 Female (Black)			12,500 TSH
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be 60,1mm , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 5 kg / cm2				
PVC3	Coupling For 63mm PVC Pipe - Ø63 Male (Green)			20,500 TSH
PVC4	Coupling For 63mm PVC Pipe - Ø63 Female (Green)			12,500 TSH
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be 63mm , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 5 kg / cm2				
PVC5	Coupling For 75mm PVC Pipe - Ø75 Male (Blue)			27,500 TSH
PVC6	Coupling For 75mm PVC Pipe - Ø75 Female (Blue)			19,000 TSH
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be 75mm , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 5 kg / cm2				
PVC7	Coupling For 76mm PVC Pipe - Ø75 Male (Yellow)			27,500 TSH
PVC8	Coupling For 76mm PVC Pipe - Ø75 Female (Yellow)			19,000 TSH
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be 76mm , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 5 kg / cm2				
PVC9	Coupling For 3"- 89mm PVC Pipe - Ø90 Male (Turquoise)			36,500 TSH
PVC10	Coupling For 3"- 89mm PVC Pipe - Ø90 Female (Turquoise)			19,000 TSH
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be 89mm , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 6 kg / cm2				
PVC11	Coupling For 90mm PVC Pipe - Ø90 Male (Cream)			36,500 TSH
PVC12	Coupling For 90mm PVC Pipe - Ø90 Female (Cream)			19,000 TSH
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be 90mm , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 6 kg / cm2				
PVC13	Coupling For 110mm PVC Pipe - Ø110 Male (Brown)			36,500 TSH
PVC14	Coupling For 110mm PVC Pipe - Ø110 Female (Brown)			19,000 TSH
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be 110mm , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 6 kg / cm2				
PVC15	Coupling For 4"- 114mm PVC Pipe - Ø110 Male (Dark Green)			36,500 TSH
PVC16	Coupling For 4"- 114mm PVC Pipe - Ø110 Female (Dark Green)			19,000 TSH
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be 114mm , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 6 kg / cm2				

TAST COMPANY LIMITED

P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyuni, TAST House

Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com

Product Code		List Price	Product Photo
PS001	2" - Ø63mm - QC Pipe System Price For 5.8 Meter Pipe length - PN5	65,000 TSH	
PS002A5	2, 5" - Ø75 mm - QC Pipe System Price For 5 Meter Pipe length - PN5	70,000 TSH	
PS002A	2, 5" - Ø75 mm - QC Pipe System Price For 5.8 Meter Pipe length - PN5	76,560 TSH	
PS003	3" - Ø90 mm - QC Pipe System Price For 5.8 Meter Pipe length - PN5	120,000 TSH	
PS004A	4" - Ø110 mm - QC Pipe System Price For 5.8 Meter Pipe length - PN6	169,000 TSH	
PS004	4" - Ø110 mm - QC Pipe System Price For 5.8 Meter Pipe length - PN8	225,000 TSH	
PS005	5" - Ø125 mm - QC Pipe System Price For 5.8 Meter Pipe length - PN8	315,000 TSH	
PS006	6" - Ø160 mm - QC Pipe System Price For 5.8 Meter Pipe length - PN8	491,400 TSH	
PS010	2" - 63mm Male End CAP	17,000 TSH	 Blind Plug
PS011	2, 5" - 75 mm Male End CAP	30,500 TSH	
PS012	3" - 90 mm Male End CAP	45,500 TSH	
PS013	4" - 110 mm Male End CAP	55,680 TSH	
PS014	5" - 125 mm Male End CAP	90,480 TSH	
PS015	6" - 160 mm Male End CAP	118,320 TSH	
PS020	2" - 63mm Elbow	69,500 TSH	 ELBOW
PS021	2, 5" - 75 mm Elbow	83,500 TSH	
PS022	3" - 90 mm Elbow	97,500 TSH	
PS023	4" - 110 mm Elbow	139,500 TSH	
PS024	5" - 125 mm Elbow	153,120 TSH	
PS025	6" - 160 mm Elbow	232,000 TSH	
PS030	75 / 63 mm Reduction	45,500 TSH	 REDUCTION
PS031	90 / 75 mm Reduction	66,500 TSH	
PS032	110 / 75 mm Reduction	87,000 TSH	
PS033	110 / 90 mm Reduction	97,500 TSH	
PS034	125 / 75 mm Reduction	139,200 TSH	
PS035	125 / 90 mm Reduction	153,120 TSH	
PS036	125 / 110 mm Reduction	160,080 TSH	
PS037	160 / 110 mm Reduction	194,880 TSH	
PS038	160 / 125 mm Reduction	243,600 TSH	
PS040	63mm / 63mm TE	64,000 TSH	 TE
PS041	75mm / 63mm TE	83,500 TSH	
PS042	75mm / 75mm TE	90,500 TSH	
PS043	90mm / 75mm TE	104,500 TSH	
PS044	90mm / 90mm TE	111,500 TSH	
PS045	110mm / 75mm TE	146,160 TSH	
PS046	110mm / 90mm TE	153,120 TSH	
PS047	110mm / 110mm TE	160,080 TSH	
PS048	125mm / 75mm TE	215,760 TSH	
PS049	125mm / 90mm TE	236,640 TSH	
PS050	125mm / 110mm TE	243,600 TSH	
PS051	125mm / 125mm TE	278,400 TSH	
PS052	160mm / 110mm TE	382,800 TSH	
PS053	160mm / 125mm TE	445,440 TSH	
PS054	160mm / 160mm TE	487,200 TSH	
PS054CT	63mm / 63mm Cross TE	76,500 TSH	 Cross TE
PS055CT	75mm / 63mm Cross TE	97,500 TSH	
PS056CT	75mm / 75mm Cross TE	111,360 TSH	
PS057CT	90mm / 75mm Cross TE	125,000 TSH	
PS058CT	90mm / 90mm Cross TE	132,500 TSH	
PS059CT	110mm / 75mm Cross TE	167,040 TSH	
PS060CT	110mm / 90mm Cross TE	174,000 TSH	
PS061CT	110mm / 110mm Cross TE	195,000 TSH	
PS062CT	125mm / 75mm Cross TE	243,600 TSH	
PS063CT	125mm / 90mm Cross TE	250,560 TSH	
PS064CT	125mm / 110mm Cross TE	278,400 TSH	
PS065CT	125mm / 125mm Cross TE	348,000 TSH	
PS066CT	160mm / 125mm Cross TE	417,600 TSH	









Due to the constant volatility in plastic prices around the world, plastic pipe prices will be clarified on the invoice day.

Debido a la constante volatilidad de los precios del plástico en todo el mundo, los precios de las tuberías de plástico se aclararán el día de la factura.

TAST COMPANY LIMITED

P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyuni, TAST House

Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com







Product Code		List Price	Product Photo
PS-ES1	3" - Ø90 mm ES Part fo Pump Outlet	195,000 TSH	
PS-ES2	4" - Ø110 mm ES Part fo Pump Outlet	279,000 TSH	
PS-ES3	5" - Ø125 mm ES Part fo Pump Outlet	306,240 TSH	
PS-ES4	6" - Ø160 mm ES Part fo Pump Outlet	464,000 TSH	
PS070	2" - 63mm Plastic Line Valve - PN5	105,500 TSH	
PS071	2, 5" - 75 mm Plastic Line Valve - PN5	133,000 TSH	
PS072	3" - 90 mm Plastic Line Valve - PN5	223,500 TSH	
PS073	4" - 110 mm Plastic Line Valve - PN5	293,200 TSH	
PS080	2" - 63 mm - Abot 1" Outlet	48,720 TSH	
PS081	2, 5" - 75 mm - Abot 1" Outlet	69,600 TSH	
PS082	3" - 90 mm - Abot 1" Outlet	83,520 TSH	
PS083	4" - 110 mm - Abot 1" Outlet	104,400 TSH	
PS085	1" PVC Riser 60 cm	41,760 TSH	
PS085-1	1" PVC Riser 100 cm	58,000 TSH	
PS086	1" Aluminium Riser 75cm	61,040 TSH	
PS090	Ø32mm Gasket	5,568 TSH	 Gasket
PS091	Ø51mm Gasket	7,656 TSH	
PS092	Ø63mm Gasket	8,048 TSH	
PS093	Ø75mm Gasket	9,224 TSH	
PS094	Ø90mm Gasket	10,048 TSH	
PS095	Ø110mm Gasket	13,224 TSH	
PS096	Ø125mm Gasket	15,312 TSH	
PS097	Ø160mm Gasket	27,840 TSH	
PS100	Suction Pipe 2" PVC - 51mm 6mt Roll	45,680 TSH	
PS101	Suction Pipe 3" PVC - 76mm 6mt Roll	73,520 TSH	
PS102	Suction Pipe 4" PVC - 101mm 8mt Roll	96,000 TSH	
PS103	Suction Pipe 5" PVC - 125mm 8mt Roll	128,480 TSH	
PS110	63mm Female Pump Outlet QC - 2" Male Screw BSP	97,440 TSH	
PS111	75mm Female Pump Outlet QC - 2.5" Male Screw BSP	111,360 TSH	
PS112	90mm Female Pump Outlet QC - 3" Male Screw BSP	125,280 TSH	
PS113	90mm Female Pump Outlet QC - 4" Male Screw BSP	139,200 TSH	
PS114	110mm Female Pump Outlet QC - 4" Male Screw BSP	174,000 TSH	
PS115	125mm Female Pump Outlet QC - 5" Male Screw BSP	185,600 TSH	
PS116	160mm Female Pump Outlet QC - 6" Male Screw BSP	225,200 TSH	
PS119	Suction Valve - 2" - 51mm with 4 pcs Clamp	104,240 TSH	
PS120	Suction Valve - 3" - 76mm with 4 pcs Clamp	139,200 TSH	
PS121	Suction Valve - 4" - 101mm with 4 pcs Clamp	208,800 TSH	
PS122	Suction Valve - 5" - 125mm with 4 pcs Clamp	278,400 TSH	
SCT001	Suction Quick Coupling Set 3" Pump Side 90mm Male BSP - 3" Screw - Hose Side 3" Barbed	225,920 TSH	
SCT002	Suction Quick Coupling Set 4" Pump Side 110mm BSP Male - 4" Screw - Hose Side 4" Male	300,800 TSH	
SCT003	Suction Quick Coupling Set 5" Pump Side 125mm BSP Male - 5" Screw - Hose Side 5" Male	417,800 TSH	

Due to the constant volatility in plastic prices around the world, plastic pipe prices will be clarified on the invoice day.
Debido a la constante volatilidad de los precios del plástico en todo el mundo, los precios de las tuberías de plástico se aclararán el día de la factura.

TAST COMPANY LIMITED

P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyuni, TAST House








Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com

Product Code		List Price	Product Photo
Hydrant001	2, 5" - 75 mm Male Hydrant - BSP Male Screw	148,700 TSH	 <p>Female Hydrant</p> <p>Male Hydrant</p>
Hydrant002	2, 5" - 75 mm Male Hydrant - NPT Male Screw	148,700 TSH	
Hydrant003	2, 5" - 75 mm Female Hydrant	230,600 TSH	
Hydrant004	3" - 90 mm Male Hydrant - BSP Male Screw	200,180 TSH	
Hydrant005	3" - 90 mm Male Hydrant - NPT Male Screw	200,180 TSH	
Hydrant006	3" - 90 mm Female Hydrant	254,000 TSH	
Hydrant007	4" - 110 mm Male Hydrant - BSP Male Screw	225,920 TSH	
Hydrant008	4" - 110 mm Male Hydrant - NPT Male Screw	225,920 TSH	
Hydrant009	4" - 110 mm Female Hydrant - BSP	315,500 TSH	
Hydrant020T	Hydrant TE For 90 mm QC pipe x 75mm - 2,5" male Outlet	277,400 TSH	
Hydrant021T	Hydrant TE For 110 mm QC pipe x 75mm - 2,5" male Outlet	300,800 TSH	
Hydrant022T	Hydrant TE For 110 mm QC pipe x 90mm - 3" male Outlet	335,900 TSH	
Hydrant023T	Hydrant TE For 125 mm QC pipe x 90mm - 3" male Outlet	371,000 TSH	
Hydrant020	Hydrant Set For 90 mm QC pipe x 75mm - 2,5" Female Outlet	488,000 TSH	
Hydrant021	Hydrant Set For 110 mm QC pipe x 75mm - 2,5" Female Outlet	511,400 TSH	
Hydrant022	Hydrant Set For 110 mm QC pipe x 90mm - 3" Female Outlet	534,800 TSH	
Hydrant023	Hydrant Set For 125 mm QC pipe x 90mm - 3" Female Outlet	605,000 TSH	











TAST COMPANY LIMITED







P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyuni, TAST House

Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com

Product Code		List Price	Product Photo
YZK130A	Ø25mm Male A Part Coupling For 25mm - 1" Layflat&Thermo Hose - 1 Clamp	33,400 TSH	<p>A Part</p> 
YZK132A	Ø32mm Male A Part Coupling For 32mm - 1,25" Layflat&Thermo Hose - 1 Clamp	28,720 TSH	
LYF001A	Ø51mm Male A Part Coupling For 38mm - 1,5" Layflat Hose - 2 Clamp	38,080 TSH	
LYF002A	Ø63mm Male A Part Coupling for 51mm - 2" Layflat Hose - 2 Clamp	42,760TSH	
LYF003A	Ø63mm Male A Part Coupling for 55mm - 2,2" Drag Hose - 3 Clamp	91,900 TSH	
LYF004A	Ø75mm Male A Part Coupling For 65mm - 2,5"Layflat Hose - 2 Clamp	77,220 TSH	
LYF005A2	Ø75mm Male A Part Coupling For 76mm - 3"Layflat Hose - 2 Clamp	103,600 TSH	 <p>B Part</p> 
LYF005A	Ø75mm Male A Part Coupling For 76mm - 3"Layflat Hose - 3 Clamp	117,640 TSH	
LYF006A	Ø90mm Male A Part Coupling for 90mm- 3,5" Layflat Hose - 4 Clamp	122,320 TSH	
YZK130B	Ø25mm Female B Part Coupling For 25mm - 1" Layflat &Thermo Hose	33,400 TSH	
YZK132B	Ø32mm Female B Part Coupling For 32mm - 1,25" Layflat Hose	41,760 TSH	
LYF001B	Ø51mm Female B Part Coupling For 38mm - 1,5" Layflat Hose	69,600 TSH	
LYF002B	Ø63mm Female B Part Coupling For 51mm - 2" Layflat Hose	83,500 TSH	
LYF003B	Ø63mm Female B Part Coupling for 55mm - 2,2" Drag Hose	57,000 TSH	
LYF004B	Ø75mm Female B Part Coupling For 65mm - 2,5" Layflat Hose	63,820 TSH	
LYF005B	Ø75mm Female B Part Coupling For 76mm - 3" Layflat Hose	63,820 TSH	
LYF006B	Ø90mm Female B Part Coupling For 90mm - 3,5" For Layflat Hose	75,520 TSH	
LYF020	2" 100 Meter 8 Bar PVC Lay Flat	935,200 TSH	
LYF021	2,5" 100 Meter 8 Bar PVC Lay Flat	1,276,000 TSH	
LYF022	3" 100 Meter 8 Bar PVC Lay Flat	1,724,000 TSH	
LYF024	4" 50 Meter 5 Bar PVC Lay Flat	1,144,000 TSH	
THERMO-01	1" - 25mm , 50 Meter 6 Bar Thermo Nitril Irrigation Hose	621,000 TSH	
DRAG001A	1,25" - 32mm , 60 Meter 12 Bar PVC Drag Hose - Yellow	1,260,000 TSH	
DRAG001B	1,25" - 32mm , 60 Meter 12 Bar Nitril Drag Hose - Red	1,260,000 TSH	
DRAG002A	1,5" - 38mm , 66 Meter 12 Bar Nitril Drag Hose	1,840,000 TSH	
DRAG002B	1,75" - 45mm , 66 Meter 12 Bar Nitril Drag Hose	2,340,000 TSH	
DRAG003	2" - 51mm , 100 Meter 14 Bar Nitril Drag Hose	3,116,000 TSH	
DRAG004	2.2" - 55mm , 100 Meter 16 Bar Nitril Drag Hose	3,696,000 TSH	
DRAG005A	2,5" - 65mm , 75 Meter 16 Bar Nitril Drag Hose	3,978,000 TSH	
DRAG005B	2,5" - 65mm , 100 Meter 16 Bar Nitril Drag Hose	5,382,000 TSH	
DRAG005C	2,5" - 65mm , 150 Meter 16 Bar Nitril Drag Hose	8,190,000 TSH	
DRAG006A	3" - 76mm , 100 Meter 16 Bar Nitril Drag Hose	6,364,000 TSH	
DRAG006B	3" - 76mm , 150 Meter 16 Bar Nitril Drag Hose	10,764,000 TSH	
DRAG007	3,5" - 90mm , 100 Meter 16 Bar Nitril Drag Hose	8,916,000 TSH	
CLMP00T1	1" Clamp For Thermo Hose	14,000 TSH	
CLMP00T2	1,25" Clamp For Thermo Hose	14,000 TSH	
CLMP001	1,25" Clamp For LayFlat	14,000 TSH	
CLMP002	1,5" Clamp For LayFlat	14,000 TSH	
CLMP003	2" Clamp For LayFlat	15,920 TSH	
CLMP004	2,5" Clamp for LayFlat	16,500 TSH	
CLMP005	3" Clamp for LayFlat	17,240 TSH	
CLMP006	3,5" Clamp for Layflat	20,880 TSH	




Product Code	P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
P001		<p>2,5 HP Gasoline Motopump Self Suction</p> <p>CAPACITY - PRESSURE DIAGRAM</p> 	<p>1,553,000 TSH</p> <p>Suction 1" , Outlet 1" Female</p>
P002		<p>6,5 HP Gasoline Motopump Self Suction</p> <p>CAPACITY - PRESSURE DIAGRAM</p> 	<p>2,138,000 TSH</p> <p>Suction 2" , Outlet 2" Female</p>
P002M		<p>6,5 HP Gasoline Multi Stage Motorpump</p> <p>CAPACITY - PRESSURE DIAGRAM</p> 	<p>4,978,000 TSH</p> <p>Suction 2" , Outlet 1,5' Female</p>
P003 - 13G-325/10		<p>13 HP Gasoline Motopump High Pressure - Electric Start</p> <p>CAPACITY - PRESSURE DIAGRAM</p> 	<p>5,486,000 TSH</p> <p>Suction 3" , Outlet 2,5' Female</p>
P004 - 20G - 325/15		<p>20 HP Gasoline Motopump High Pressure - Electric Start</p> <p>CAPACITY - PRESSURE DIAGRAM</p> 	<p>10,360,000 TSH</p> <p>Suction 3" , Outlet 2,5' Female</p>

Product Code	P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price
P006 - 12D - 325/10		<p>12 HP Diesel Motopump High Pressure - Electric Start</p> <p>CAPACITY - PRESSURE DIAGRAM</p> 	<p>6,950,000 TSH</p> <p>Suction 3" , Outlet 2,5" Female</p>
P009 - 17D		<p>17 HP Diesel Motopump 1 Stage - Electric Start</p> <p>CAPACITY - PRESSURE DIAGRAM</p> 	<p>12,532,000 TSH</p> <p>Suction 4" , Outlet 4" Female</p>
P011 - 19D - 50B2/15		<p>19 HP Diesel - 2 Cylinders Motopump 2 Stage - Electric Start</p> <p>CAPACITY - PRESSURE DIAGRAM</p> 	<p>14,468,000 TSH</p>


























P013- 22D - KP500B2/20
22HP Diesel Motopump Water Cooler - 3 Cylinders - 2 Stage
List Price= 25,230,000 TSH Suction 4" - Outlet 4"



P014- 45D - KP65B3/50
P015 - 45 HP Diesel Motopump Water Cooler - 4 Cylinders
3 Stage High Pressure with Trailer
List Price= 39,861,000 TSH Suction 4" - Outlet 4"




Product Code	P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price																								
P020		<p>DuCaR Pump 50 Inlet Size 3" Outlet Size 2,5"</p> <p>CAPACITY- PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for DuCaR Pump 50 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m³/h)</th> <th>Pressure (hm msp)</th> </tr> </thead> <tbody> <tr><td>10</td><td>80</td></tr> <tr><td>15</td><td>79</td></tr> <tr><td>20</td><td>77</td></tr> <tr><td>25</td><td>74</td></tr> <tr><td>30</td><td>70</td></tr> <tr><td>35</td><td>65</td></tr> <tr><td>40</td><td>58</td></tr> <tr><td>42</td><td>50</td></tr> </tbody> </table>	Capacity (m ³ /h)	Pressure (hm msp)	10	80	15	79	20	77	25	74	30	70	35	65	40	58	42	50	6,680,000 TSH						
Capacity (m ³ /h)	Pressure (hm msp)																										
10	80																										
15	79																										
20	77																										
25	74																										
30	70																										
35	65																										
40	58																										
42	50																										
P021-3		<p>DuCaR Pump 65-3 Inlet Size 3" Outlet Size 2,5"</p> <p>CAPACITY- PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for DuCaR Pump 65-3 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m³/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>10</td><td>130</td></tr> <tr><td>20</td><td>125</td></tr> <tr><td>30</td><td>120</td></tr> <tr><td>40</td><td>115</td></tr> <tr><td>50</td><td>105</td></tr> <tr><td>60</td><td>90</td></tr> <tr><td>70</td><td>70</td></tr> <tr><td>75</td><td>45</td></tr> </tbody> </table>	Capacity (m ³ /h)	Pressure (hm mss)	10	130	20	125	30	120	40	115	50	105	60	90	70	70	75	45	8,286,000 TSH						
Capacity (m ³ /h)	Pressure (hm mss)																										
10	130																										
20	125																										
30	120																										
40	115																										
50	105																										
60	90																										
70	70																										
75	45																										
P021		<p>DuCaR Pump 80 Inlet Size 4" Outlet Size 4"</p> <p>CAPACITY- PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for DuCaR Pump 80 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m³/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>10</td><td>78</td></tr> <tr><td>20</td><td>75</td></tr> <tr><td>30</td><td>70</td></tr> <tr><td>40</td><td>68</td></tr> <tr><td>50</td><td>68</td></tr> <tr><td>60</td><td>67</td></tr> <tr><td>70</td><td>65</td></tr> <tr><td>80</td><td>60</td></tr> <tr><td>90</td><td>55</td></tr> <tr><td>100</td><td>50</td></tr> <tr><td>120</td><td>40</td></tr> </tbody> </table>	Capacity (m ³ /h)	Pressure (hm mss)	10	78	20	75	30	70	40	68	50	68	60	67	70	65	80	60	90	55	100	50	120	40	8,920,000 TSH
Capacity (m ³ /h)	Pressure (hm mss)																										
10	78																										
20	75																										
30	70																										
40	68																										
50	68																										
60	67																										
70	65																										
80	60																										
90	55																										
100	50																										
120	40																										
P022		<p>DuCaR Pump 80/2 Inlet Size 4" Outlet Size 4"</p> <p>CAPACITY- PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for DuCaR Pump 80/2 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m³/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>100</td><td>90</td></tr> <tr><td>120</td><td>75</td></tr> <tr><td>140</td><td>65</td></tr> <tr><td>160</td><td>55</td></tr> <tr><td>175</td><td>45</td></tr> </tbody> </table>	Capacity (m ³ /h)	Pressure (hm mss)	100	90	120	75	140	65	160	55	175	45	10,392,000 TSH												
Capacity (m ³ /h)	Pressure (hm mss)																										
100	90																										
120	75																										
140	65																										
160	55																										
175	45																										
P023		<p>DuCaR Pump 125 Inlet Size 5" Outlet Size 5"</p> <p>CAPACITY- PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for DuCaR Pump 125 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m³/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>20</td><td>80</td></tr> <tr><td>40</td><td>80</td></tr> <tr><td>60</td><td>80</td></tr> <tr><td>80</td><td>78</td></tr> <tr><td>100</td><td>75</td></tr> <tr><td>120</td><td>70</td></tr> <tr><td>140</td><td>65</td></tr> <tr><td>160</td><td>58</td></tr> <tr><td>180</td><td>50</td></tr> </tbody> </table>	Capacity (m ³ /h)	Pressure (hm mss)	20	80	40	80	60	80	80	78	100	75	120	70	140	65	160	58	180	50	11,392,000 TSH				
Capacity (m ³ /h)	Pressure (hm mss)																										
20	80																										
40	80																										
60	80																										
80	78																										
100	75																										
120	70																										
140	65																										
160	58																										
180	50																										

Product Code	P.O. Box 6335, Morogoro-Tanzania. Morogoro Road, Mkambarani Mbuyuni, TAST House	Cell: +255753662203 +255719206000 Email: info@tast.co.tz tastcompany3@gmail.com	List Price																												
P030		<p>3HP 12 Stage Electro Motopump - 2900 RPM - 230V MonoPhase Inlet 1,25" x Outlet 1,25" (Suitable For Irriforce Minix 6bar - 6m3/hour)</p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for P030 Capacity - Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (Hm mss)</th> </tr> </thead> <tbody> <tr><td>2</td><td>95</td></tr> <tr><td>3</td><td>88</td></tr> <tr><td>4</td><td>82</td></tr> <tr><td>5</td><td>75</td></tr> <tr><td>6</td><td>68</td></tr> <tr><td>7</td><td>62</td></tr> <tr><td>8</td><td>55</td></tr> <tr><td>9</td><td>48</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (Hm mss)	2	95	3	88	4	82	5	75	6	68	7	62	8	55	9	48	3,808,000 TSH										
Capacity (m3/h)	Pressure (Hm mss)																														
2	95																														
3	88																														
4	82																														
5	75																														
6	68																														
7	62																														
8	55																														
9	48																														
P031		<p>30 HP 1 Stage Waterpump - 2900 RPM - Inlet 3" x Outlet 2,5"</p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for P031 Capacity - Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (Hm mss)</th> </tr> </thead> <tbody> <tr><td>30</td><td>88</td></tr> <tr><td>35</td><td>87</td></tr> <tr><td>40</td><td>86</td></tr> <tr><td>45</td><td>85</td></tr> <tr><td>50</td><td>83</td></tr> <tr><td>55</td><td>81</td></tr> <tr><td>60</td><td>78</td></tr> <tr><td>65</td><td>75</td></tr> <tr><td>70</td><td>72</td></tr> <tr><td>75</td><td>68</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (Hm mss)	30	88	35	87	40	86	45	85	50	83	55	81	60	78	65	75	70	72	75	68	3,808,000 TSH						
Capacity (m3/h)	Pressure (Hm mss)																														
30	88																														
35	87																														
40	86																														
45	85																														
50	83																														
55	81																														
60	78																														
65	75																														
70	72																														
75	68																														
P032		<p>20 HP 2 Stage Waterpump - 2900 RPM - Inlet 3" x Outlet 2.5"</p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for P032 Capacity - Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (Hm mss)</th> </tr> </thead> <tbody> <tr><td>30</td><td>80</td></tr> <tr><td>35</td><td>78</td></tr> <tr><td>40</td><td>76</td></tr> <tr><td>45</td><td>74</td></tr> <tr><td>50</td><td>72</td></tr> <tr><td>55</td><td>70</td></tr> <tr><td>60</td><td>68</td></tr> <tr><td>65</td><td>66</td></tr> <tr><td>70</td><td>64</td></tr> <tr><td>75</td><td>62</td></tr> <tr><td>80</td><td>60</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (Hm mss)	30	80	35	78	40	76	45	74	50	72	55	70	60	68	65	66	70	64	75	62	80	60	4,861,000 TSH				
Capacity (m3/h)	Pressure (Hm mss)																														
30	80																														
35	78																														
40	76																														
45	74																														
50	72																														
55	70																														
60	68																														
65	66																														
70	64																														
75	62																														
80	60																														
P033		<p>50 HP 3 Stage Waterpump - 2900 RPM - Inlet 4" x Outlet 3"</p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for P033 Capacity - Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (Hm mss)</th> </tr> </thead> <tbody> <tr><td>30</td><td>135</td></tr> <tr><td>40</td><td>130</td></tr> <tr><td>50</td><td>125</td></tr> <tr><td>60</td><td>120</td></tr> <tr><td>70</td><td>115</td></tr> <tr><td>80</td><td>110</td></tr> <tr><td>90</td><td>105</td></tr> <tr><td>100</td><td>100</td></tr> <tr><td>110</td><td>95</td></tr> <tr><td>120</td><td>90</td></tr> <tr><td>130</td><td>85</td></tr> <tr><td>140</td><td>80</td></tr> <tr><td>150</td><td>75</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (Hm mss)	30	135	40	130	50	125	60	120	70	115	80	110	90	105	100	100	110	95	120	90	130	85	140	80	150	75	7,318,000 TSH
Capacity (m3/h)	Pressure (Hm mss)																														
30	135																														
40	130																														
50	125																														
60	120																														
70	115																														
80	110																														
90	105																														
100	100																														
110	95																														
120	90																														
130	85																														
140	80																														
150	75																														
P034		<p>60 HP 1 Stage Waterpump - 2900 RPM - Inlet Flange 4" x Outlet Flange 3"</p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <table border="1"> <caption>Data for P034 Capacity - Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (Hm mss)</th> </tr> </thead> <tbody> <tr><td>90</td><td>90</td></tr> <tr><td>100</td><td>86</td></tr> <tr><td>110</td><td>85</td></tr> <tr><td>120</td><td>84</td></tr> <tr><td>130</td><td>82</td></tr> <tr><td>140</td><td>78</td></tr> <tr><td>150</td><td>73</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (Hm mss)	90	90	100	86	110	85	120	84	130	82	140	78	150	73	4,744,000 TSH												
Capacity (m3/h)	Pressure (Hm mss)																														
90	90																														
100	86																														
110	85																														
120	84																														
130	82																														
140	78																														
150	73																														


P.O. Box 6335, Morogoro-Tanzania.
Morogoro Road, Mkambarani Mbuyupi, TAST House

Cell: +255753662203 | +255719206000
Email: info@tast.co.tz
tastcompany3@gmail.com

P035




**P035-40 HP Electric Motorpump - 4 Cylinder
4 Stage Very high Pressure with Trailer
Suction 3" - Outlet 3"**




32,553,000 TSH

P036




**P036-25 HP Electric Motorpump - 3 Cylinder - 1 Stage High Volume
Suction 5" - Outlet 4"**




22,820,000 TSH

P037



**P037-20 HP Electric Motorpump - 3 Cylinder - 2 Stage High Pressure
Suction 3" - Outlet 2,5"**



17,820,000 TSH



CONTACT INFORMATION



P.O. Box 6335 Mkambarani, Morogoro-Tanzania



+255753662203 | +255752192816 | +255719206000



info@tast.co.tz or tastcompany3@gmail.com



www.tast.co.tz



tanzania_agriculture_services



Tanzania Agricultural Services and Training



@LtdTast



TAST COMPANY LTD



Tanzania Agricultural Services and Training

