

# International Scheme to Evaluate Household Water Treatment Technologies

## Drop2Drink Unit

### Product evaluation report

<b>WHO performance classification</b>	Comprehensive protection Two-star (★ ★)
<b>Manufacturer</b>	D2D Water Solutions B.V. Bruchterweg 88 7772BJ Hardenberg the Netherlands <a href="http://www.d2dwatersolutions.com">www.d2dwatersolutions.com</a>
<b>Evaluation procedure</b>	Abbreviated laboratory test
<b>WHO report issue date</b>	Round III, 2020
<b>WHO reference</b>	28/8/2019-R3-7

## Summary of evaluation

This report summarizes the evaluation results of a combined multistage filtration and ultraviolet (UV) water treatment device known by the tradename 'Drop2Drink Unit', under Round III of the World Health Organization (WHO) International Scheme to Evaluate Household Water Treatment Technologies (the Scheme). Evaluation of the Drop2Drink Unit followed the requirements of the WHO protocol for (UV) technologies, and investigated the ability of the device to reduce bacteria and viruses. Inactivation of protozoa was assigned based on the mean bacterial inactivation achieved. Based on the evaluation results, the Drop2Drink Unit meets WHO performance criteria and is classified as providing *Comprehensive protection* (★ ★).

# 1. Background

Evaluation under the Scheme is based on performance criteria set out in *Evaluating Household Water Treatment Options: Health-based targets and microbiological performance specifications* (WHO, 2011). The criteria were determined by applying quantitative microbial risk assessment methods outlined in the WHO *Guidelines for Drinking-water Quality* (2017) and set out log<sub>10</sub> reduction targets against bacteria, viruses and protozoa, as shown in the table below.

**Table 1. WHO performance criteria for household water treatment technologies**

Performance classification	Bacteria (log <sub>10</sub> reduction required)	Viruses (log <sub>10</sub> reduction required)	Protozoa (log <sub>10</sub> reduction required)	Interpretation (with correct and consistent use)
★ ★ ★	≥ 4	≥ 5	≥ 4	Comprehensive protection
★ ★	≥ 2	≥ 3	≥ 2	
★	Meets at least 2-star (★ ★) criteria for two classes of pathogens			Targeted protection
—	Fails to meet criteria for 1-star (★)			Little or no protection

## Product description

The Drop2Drink Unit uses a combination of multistage filtration and UV disinfection for removal of microbial pathogens. The assembled unit comprises a membrane microfilter, an active carbon filter, a membrane ultrafilter, a UV-C disinfection chamber and an electric pump. The device is intended to treat rainwater. To operate, the device is connected to a rainwater harvesting system and electric power, and the pump draws the water through the multistage filters and UV-C chamber. The full product description, illustrations and use instructions can be found at [www.d2dwatersolutions.com](http://www.d2dwatersolutions.com).

## 2. Evaluation approach

**Product-specific test plan:** A product-specific test plan was developed based on the manufacturer's instructions for use; the *WHO Scheme Harmonized Testing Protocol: Technology Non-Specific V 3.0* (WHO, 2019); the *Testing Protocol for Ultraviolet Technologies ((with or without pre-filtration and/or disinfection addition) V 3.1* (WHO, 2020), and the manufacturer's use instructions. Testing was conducted at a WHO-designated laboratory, KWR Watercycle Research Institute, in the Netherlands.

**Test organisms:** Evaluation of the Drop2Drink Unit investigated its performance in reducing bacteria and viruses. The test organisms were *Escherichia coli* (*E. coli*) to represent bacteria, and bacteriophages MS-2 and phiX-174 to represent viruses. Based on the available evidence on protozoan inactivation by UV, testing against this microbial group was not conducted (WHO, 2019). The protozoan inactivation is assigned based on the mean bacterial inactivation achieved.


**Test waters:** The device was tested in two simulated natural waters: General Test Water (GTW), simulating high quality groundwater, and Challenge Test Water (CTW), simulating surface water. Refer to the *Testing Protocol for Ultraviolet Technologies ((with or without pre-filtration and/or disinfection addition) V 3.1* for details on physicochemical characteristics of the test waters.

**Test set-up:** Three new production units were provided by the manufacturer for the test. All units were operated according to the manufacturer's use instructions. Pretreatment and posttreatment water grab samples were analysed using methods identified in the product-specific test plan. Testing was conducted over two days, in GTW on Day 1 and in CTW on Day 2, with microbial sampling at the start and end of each test day. This resulted in a total of 12 sample points for each organism (i.e. 2 days × 2 test waters × 3 test units).

### 3. Results

Fig. 1 presents the results of the bacterial and viral testing for the three units in GTW and CTW. All test water characteristics were within specifications.

#### Performance across test units<sup>1</sup>



The Drop2Drink Unit achieved mean log<sub>10</sub> reductions of 8.2 for *E. coli*; 3.7 for MS-2; and ≥ 5.7 for phiX-174. Performance was generally consistent across the three units.

### 4. Interpretation and application of results

Performance is classified in three ascending tiers: ★ (one-star); ★★ (two-star); and ★★★ (three-star), as shown in the table outlining performance criteria. Both three- and two-star products provide *Comprehensive protection* against all three microbial groups. One-star products meet performance targets for only two of the three microbial groups, providing *Targeted protection*.

Each production unit should consistently meet or exceed the performance target for each microbial group in both test waters (GTW and CTW). However, a maximum deviation of 0.2 log<sub>10</sub> is acceptable for 25% of sample points at the two-star performance tier and 0.4 log<sub>10</sub> at the three-star performance tier<sup>2</sup>. This means that for classification as a three-star product, up to three of the 12 sample points can achieve a minimum reduction of 3.6 log<sub>10</sub> for bacteria or protozoan cysts (instead of 4 log<sub>10</sub>) or 4.6 log<sub>10</sub> for viruses (instead of 5 log<sub>10</sub>). Each phage is treated separately for evaluating acceptable allowance, and the overall claim for viruses is based on the lower performing phage.




<sup>1</sup> The maximum microbial reduction that can be demonstrated is limited by the pretreatment challenge concentration delivered. For each organism tested, the pretreatment concentration must be sufficient to allow for the demonstration of the performance targets in the table showing the performance criteria. Due to the complexity of using viable organisms, there may be variation in these pretreatment concentrations above what is sufficient, which may lead to demonstrated reductions reported that far exceed the performance targets. However, the emphasis is on whether the performance target has been met and not the extent by which the target was exceeded.

<sup>2</sup> These cut-off values were determined using QMRA modelling and selecting ranges that still resulted in appreciable health gains within a specific performance tier

## Performance classification

The Drop2Drink Unit fully met performance targets for bacteria, and the minimum performance target for viruses. For the protozoan reduction, a value of 8.2 log<sub>10</sub> is assigned, based on the mean bacterial reduction achieved. As such, the Drop2Drop Unit is classified as providing *Comprehensive protection* (★★) against all three microbial groups.

## Considerations for product selection

	<b>Microbial conditions</b>	Effective against bacteria, viruses and protozoa; can be used under all microbial water quality conditions
	<b>Physico-chemical water characteristics</b>	Can be used in both turbid and non-turbid water
	<b>Product information and labelling</b>	Check that the product is appropriately labelled and has clear instructions for use

## References

Evaluating household water treatment options: health-based targets and microbiological performance specifications. Geneva: World Health Organization; 2011 ([http://www.who.int/water\\_sanitation\\_health/publications/household\\_water/en/](http://www.who.int/water_sanitation_health/publications/household_water/en/)).

Guidelines for drinking-water quality, fourth edition incorporating first addendum. Geneva: World Health Organization; 2017 ([http://www.who.int/water\\_sanitation\\_health/publications/drinking-water-quality-guidelines-4-including-1st-addendum/en/](http://www.who.int/water_sanitation_health/publications/drinking-water-quality-guidelines-4-including-1st-addendum/en/)).

Harmonized Testing Protocol: Technology non-specific version 3.0. Geneva: World Health Organization; 2019 ([http://www.who.int/water\\_sanitation\\_health/water-quality/household/household-water-treatment-scheme-resources/en/](http://www.who.int/water_sanitation_health/water-quality/household/household-water-treatment-scheme-resources/en/)).

Ultraviolet Technologies ((with or without pre-filtration and/or disinfection addition) Testing Protocol: version 3.1. Geneva: World Health Organization; 2020 ([http://www.who.int/water\\_sanitation\\_health/water-quality/household/household-water-treatment-scheme-resources/en/](http://www.who.int/water_sanitation_health/water-quality/household/household-water-treatment-scheme-resources/en/)).

### Disclaimer

Reference to any company or product in this report, particularly those listed in any of the figures and tables, does not constitute an endorsement, certification or warranty of fitness by WHO of such company or product for any purpose, and does not imply any preference over companies or products of a similar nature that are not mentioned.

WHO does not warrant that any products included in the figures and tables are of acceptable quality; have obtained regulatory approval in any country; or that their use is otherwise in accordance with the national laws and regulations of any country, including but not limited to patent laws. Evaluation under the Scheme is intended to guide UN Member States and procuring UN agencies in the selection of household water treatment (HWT) technologies. Inclusion of any products in this report, particularly in any of the figures and tables listed in the report does not furthermore imply any approval by WHO of these products (which is the sole prerogative of national authorities).

The results in this report reflect the performance level that the product was found to meet at the time of testing. WHO cannot represent that the products reported herein will continue to meet the stated performance levels. Furthermore, the results contained in this report may not be used by manufacturers, suppliers or any other parties for commercial or promotional purposes.



### For more information, contact:

World Health Organization  
Water, Sanitation, Hygiene and Health Unit  
Department of Environment, Climate Change and Health  
20, Avenue Appia  
1211 Geneva 27  
Switzerland  
Email: [hhwater@who.int](mailto:hhwater@who.int)

[http://www.who.int/water\\_sanitation\\_health/water-quality/household/scheme-household-water-treatment/en/](http://www.who.int/water_sanitation_health/water-quality/household/scheme-household-water-treatment/en/)

ISBN 978-92-4-000774-1 (electronic version)

ISBN 978-92-4-000775-8 (print version)

© World Health Organization 2020

Some rights reserved

This work is licensed under the CC BY-NC-SA 3.0 IGO licence.



9 789240 007741

Please supply